











Flood LED



NO.	Picture	Item No.	Power	Dimensions	Weight (N.W)	Input Voltage	LED
1		LM-711-W-80W	80W	350*320*105mm	5KG	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
2		LM-711-W-100W	100W	420*380*120mm	6KG	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
3		LM-711-W-120W	120W	430*400*130mm	7.8KG	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
4		LM-712-W-80W	80W	360*175*69mm	3.5KG	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
5		LM-712-W-100W	100W	425*330*120mm	8.4KG	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
6		LM-712-W-120W	120W	425*330*120mm	8.9KG	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
7		LM-712-W-150W	150W	425*330*120mm	8.9KG	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
8		LM-713-W-50W	50W	250*165*65mm	75KG	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
9		LM-713-W-80W	80W	370*250*95mm	250KG	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
10		LM-713-W-140W	140W	460*330*115mm	450KG	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72

11		LM-714-W-15W	15W	179 x 133 x 59mm	0.7kg	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
12		LM-714-W-20W	20W	201 x 172 x 80 mm	1.2kg	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
13		LM-714-W-30W	30W	215 x 184 x 84 mm	2.4kg	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
14		LM-714-W-50W	50W	253 x 200 x 98 mm	2.7kg	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
15		LM-714-W-70W	70W	291 x 250 x 116 mm	3.6kg	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
16		LM-714-W-100W	100W	309 x 250 x 192 mm	4.6kg	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
17		LM-714-W-120W	120W	315 x 310 x 187 mm	6.8kg	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
18		LM-714-W-140W	140W	375 x 310 x 187 mm	7.5kg	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
19		LM-714-W-160W	160W	375 x 310 x 187 mm	8kg	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
20		LM-714-W-200W	200W	400 x 340 x 192 mm	8.5kg	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72

21		LM-715-W-20W	20W	265*195*40mm	1.8kg	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
22		LM-715-W-40W	40W	315*24*60mm	3.5kg	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
23		LM-715-W-60W	60W	365*295*80mm	4.2kg	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
24		LM-715-W-120W	120W	490*400*110mm	9kg	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
25		LM-716-W-20W	20W	230-140*53mm	1.8KG	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
26		LM-716-W-30W	30W	230-140*53mm	1.8KG	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72
27		LM-716-W-40W	40W	235*147*65mm	1.8KG	AC85-265V or DC12V/24V	USA Bridgelux: 115-125lm/W (Lamp:100LM/W) CCT:2600-8000K/Ra>72